

OKW08



Rated power	8.6 kW/11.7HP
Digging depth	1300 mm
Bucket capacity	0.025m ³
Chassis size	780mm

OKW08 with optional 2-post canopy



OKW10



Rated power	8.6KW/11.7HP
Digging depth	1300 mm
Bucket capacity	0.025m ³
Chassis size	830mm

OKW10 with optional 2-post canopy



OKW12



Rated power	8.6KW/12HP
Digging depth	1800 mm
Bucket capacity	0.025m ³
Chassis size	850mm

OKW12 can be optionally equipped with 2-post roof, four-post roof, cab



OKW12QQ



Rated power	8.6KW/11.7HP
Digging depth	1787mm
Bucket capacity	0.025m ³
Chassis size	850 mm

OKW12QQ can be equipped with an optional 2-post canopy four-post canopy



OKW15



Rated power	19KW/26HP
Digging depth	1800 mm
Bucket capacity	0.02m ³
Chassis size	1000 mm

OKW15 standard with 4-post canopy, optional cab single-cooled air conditioning



OKW17



Rated power	15KW/26HP
Digging depth	2000 mm
Bucket capacity	0.02m ³
Chassis size	1100 mm

OKW17 standard with 4-post canopy, optional cab, single-cooled air conditioning



OKW18



Rated power	10.2/11.8KW
Digging depth	1900 mm
Bucket capacity	0.04m ³
Chassis size	1100 mm

OKW18 standard with 4-post canopy, optional cab, single-cooled air conditioning



OKW20



Rated power	10.2/11.8KW
Digging depth	2150mm
Bucket capacity	0.05m ³
Chassis size	1150mm

OKW20 standard with 4-post canopy, optional cab, single-cooled air conditioning



OKW22U



Rated power	21KW/2200rpm
Digging depth	2600mm
Bucket capacity	0.06m ³
Chassis size	1300mm

OKW22U standard with 4-post canopy, optional cab, single-cooled air conditioning



OKW25



Rated power	20KW
Digging depth	2250mm
Bucket capacity	0.08 m ³

OKW25 standard with 4-post canopy, optional cab single-cooled air conditioning



OKW30



Rated power	22.1KW
Digging depth	2500mm
Bucket capacity	0.1m ³

OKW30 Standard with 4-post canopy, optional cab, heat and air conditioning



OKW30U



Rated power	20KW/2200rpm
Digging depth	2570mm
Bucket capacity	0.075m ³

OKW30U Standard with 4-post canopy, optional cab, heat and air conditioning



OKW35



Rated power	36.8KW
Digging depth	2500mm
Bucket capacity	0.1m ³

OKW35 Standard with 4-post canopy, optional cab, heat and air conditioning



OKW40



Rated power	34KW/46HP
Digging depth	2545mm
Bucket capacity	0.16m ³
Chassis size	1600mm

OKW40 standard cab with optional heat and air conditioning

OKW40U



Rated power	18.5KW/2200rpm
Digging depth	3208mm
Bucket capacity	0.12m ³
Chassis size	1720mm

OKW40U Standard with cab and heat and air conditioning

OKW906EPA



Rated power	41KW
Digging depth	3808mm
Bucket capacity	0.21m ³

OKW906EPA Standard with cab and heat and air conditioning

OKW906F



Rated power	36.2KW/2100rpm
Digging depth	3660mm
Bucket capacity	0.21m ³
Chassis size	1950mm

OKW906F Standard with cab and heat and air conditioning

OKW913



Rated power	73KW/2000rpm
Digging depth	5095mm
Bucket capacity	0.6m ³
Chassis size	2500mm

OKW913 Standard with cab and heat and air conditioning

OKW925



Rated power	124KW/2050rpm
Digging depth	6480mm
Bucket capacity	1.1m ³
Chassis size	2980mm

OKW925 Standard with cab and heat and air conditioning